

Trilogy® Networx® Narrow Stile Wireless Access

Prox/Digital Lock Trim: **P/DL1300NW**



Ideal for building management, professional offices, shared work space, classroom labs, retail stores & more.

- **Wireless Access Lock Trim adds Keyless Convenience and automatic Lock- or Free-Passage schedules to Adams Rite Latch Lock Applications**
- **Field-Proven, familiar Trilogy® keyless access lock convenience, programming & electronics**
- **PIN code and PIN/Prox Models** support up to 5000 users
- **Trilogy Networx Locks communicate wirelessly via Gateways** to Ethernet or 802.11B/G for a comprehensive wireless networked door access control system, eliminating door to door programming
- **Networked to save manpower** - On demand in seconds or automatically on a set schedule, wirelessly change/update users, schedules, lock features or retrieve time-/date-stamped audit trails, up to 35,000 events/locks from any networked PC
- **Remote Keyfob Support** for unlock, locking or Global Lockdown activation
- **Activate emergency global lockdown in seconds** from the Networx PC, Networx lock or keyfob
- **Saves equipment costs** - Choice of Networx Gateways support 63 locks, each and multiple Gateways can be used for 2016 Locks, max. per system
- **HID Prox ID cards, keyfobs and prox tags; plus AL-ID Cards, supported** in PDL1300NW Series models featuring built in reader. (High security applications can require use of both PIN code plus Prox ID for access.)
- **Proven, Low Maintenance, Wireless Installation and Unsurpassed Battery-Life** with Advanced Power-Saver circuits, for years of use in even high-traffic areas, powered by 4 off-the-shelf AA Batteries; 3 to 4 years or 100,000 cycles, typ.
- **Flexible System Monitoring, Control & Programming** – Program locally using a USB Gateway or remotely across a wireless network (using free Alarm Lock DL-WINDOWS Windows-based software)
- **Wide weatherproof operating range** from -31 to 151°F (-35 to 66C)
- **Key override;** Mortise Cylinder, 1 1/4", supplied
- **Compact styling** 15 13/32"H x 1 5/8"D x 1 3/4"W



From the makers of Trilogy® - The #1 Locks in their Class

Trilogy® Networx® Narrow Stile Wireless Access Prox/Digital Lock Trim: P/DL1300NW

LATCH: Aluminum door retrofit keyless outside trim for Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series and MS1850S and MS1950S Series latch locks

DOOR THICKNESS: 1 3/4"

BACKSET: 31/32", 1 1/8" and 1 1/2"; Stile thickness 1 3/4"

HANDING: Non-handed; fully field-reversible

POWER: Uses standard off-the-shelf AA batteries, choice of advanced Power-Saver modes, for longest battery life, from 3 to 4 years or 100,000 cycles, typ., depending on door use

KEYPAD: All-metal, vandal-resistant 12-button keypad supports 3-6 digit PIN codes, and multilevel user hierarchy (master, manager, supervisor, basic users)

PROX ID READER: (PDL1300NW) Supports up to 5000 users (inclg PIN codes) using HID Prox, keyfob, credential &/or AL-ID ID Cards






CYLINDER: Mortise Cylinder, 1 1/4" supplied.

FINISHES: US26D Satin Chrome, US10B Duronodic

GATEWAYS: Choice of networking options for any application, control 63 locks per Gateway and 2016 Locks per system. AL-IME2, AL-IME2-80211, AL-IME2-POE

SOFTWARE: Free Windows-based software for programming, entering users and receiving time-/date-stamped (by user) 35K event audit trail from lock, Alarm Lock #DL-WINDOWS

NETWORK GATEWAYS:

	AL-IME2	Ethernet connected gateway w/ AC adapter to plug into standard wall outlet
	AL-IME2-80211	Wifi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet
	AL-IME2-POE	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required
	AL-IME2-EXP	Wireless Expander designed to expand the coverage area of a Gen 2 gateways. AC power required. Up to 7 expanders per gateway
	AL-IME2-PIE	Plug-in wireless expander designed to expand the coverage area of Gen2 gateways. Plugs into a standard AC outlet. Up to 7 expanders per gateway



Lockdown or Unlock with Keyfob, For use w/ DL or PDL1300NW model - Up to 10 users can be programmed for varying privileges on multiple locks/fob (Optional: #RR-4BKEYFOB)

ORDERING INFORMATION:

PDL 13 00 NW 26D 1

Model

PDL – Prox/PIN
DL – Digital PIN

Trilogy Series

13 – 3000 Series

Trim

00 – Lever
25 – Turnpeice
50 – Knob

NW

Networx

Finish

26D – Satin Chrome
10B – Duronodic

Mechanical Dead Latch

1. Support Adams Rite 4710, 4730, 4900 Series
2. Support Adams Rite 4070, MS1850S, MS1850S-050, MS1950 MS1950-050



Alarm Lock Systems, LLC, a Division of Napco Security Technologies, Inc.

345 Bayview Ave, Amityville, NY USA

1.800.ALA.LOCK • salesinfo@alarmlock.com • www.alarmlock.com

Trilogy and Networx are trademarks of NAPCO Security Technologies/Alarm Lock Systems Division. All others are trademarks of their respective companies. ©NAPCO, 2018.7

ALA522